

We reserve the right to make technical changes without prior announcement. All rights reserved.

©2022 GENOX RECYCLING TECHNOLOGY (UK) LTD.







genoxtech.co.uk

## Recycling Systems / Rigid Bottle / Container Washing System

4490 × 945 × 4230

370

6310

Inclined Friction Washer

3725 × 945 × 3585

370

# HDPE Bottle / Container Washing System

Inclined Friction Washer



Float-sink Washing Tank





Vertical Dewatering Machine

## Features

The HDPE washing line is designed for rigid plastics 5 Label separation can be achieved by advanced with a wall thickness ranging from 1~25mm such as HDPE Bottle, etc.

- 1 The shredding system is with wear resistant design to maximize the consistent running of the system and minimize operational costs.
- ② High speed washing system with corresponding Liquid drums & containers speed according to material type liberates contamination from plastic flakes.
- 3 The under water force-washing paddle of the washing tank maximize the washing efficiency.
- 4 Mechanical and thermal drying system minimize the moisture of the end product.

- wind separation.
- 6 Intelligent system automation ensures that components actions are sequenced and monitored.

### Applications

- Milk bottles
- Wheelie bins







Dimension (L x W x H) (mm)

Rotation Speed (RPM) Rotation Diameter (mm)

Moter Power (kw)

Weight (kg)

Vertical Dewatering Machine		
Model	GTK500	GTK650
Dimension (L x W x H) (mm)	2940 × 1200 × 2740	3350 × 1320 × 2930
Rotation Speed (RPM)	1044	1044
Rotation Diameter (mm)	500	650
Moter Power (kw)	18.5	22
Weight (kg)	1800	2150

5230

Zig-zag Classifier		
Model	GZ800C-D	
Dimension (L x W x H) (mm)	2430 × 1580 × 4580	
Chamber Width (mm)	800	
Chamber Amount (pcs)	2	
Moter Power (kw)	14.75	
Veight (kg)	980	

